



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/367,396	08/13/1999	PETER JOHN MOTTISHAW	30980016US	4303

7590

07/30/2003

DAVID KOFFSKY
OHLANDT GREELEY RUGGIERO & PERLE
ONE LANDMARK SQUARE
SUITE 903
STAMFORD, CT 06901

EXAMINER

ODLAND, DAVID E

ART UNIT

PAPER NUMBER

2662

DATE MAILED: 07/30/2003

10

Please find below and/or attached an Office communication concerning this application or proceeding.

5/11

Office Action Summary

Application No.

09/367,396

Applicant(s)

MOTTISHAW ET AL.

Examiner

David Odland

Art Unit

2662

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 May 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-10,12,13 and 17-34 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10,12,13 and 17-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Response to Amendment

1. The following is a response to the amendments filed on 05/29/2003.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

Claim 21 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Referring to claim 21, it is unclear what correlation is being referred to and what data is being correlated.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claim 1 is rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent number 4,730,313 to Stephenson et al., hereafter referred to as Stephenson.

Referring to claim 1, Stephenson discloses a method of monitoring an ISDN link (a method for ISDN channel diagnostics (see abstract and figure 2)), comprising the steps of monitoring an ISDN link using a passive probe at a first location to monitor subscriber

Art Unit: 2662

signaling messages on an ISDN D channel to derive first monitoring data (test logic is used to perform various non-interruptive tests of the D channel (see column 6 lines 14-56)), monitoring at said first location telecommunications traffic traversing ISDN B channels associated with said ISDN D channel to derive second monitoring data (various diagnostic tests of the B channels are performed (see column 6 lines 14-56)) and correlating said first and second monitoring data (particular B channel corresponding to the D channel is tested (see column 6 lines 45-56)) by selecting some of the second monitoring data and performing a predetermined action in accordance with that selected second monitoring data (when errors are indicated on the D channel a corresponding B channel is selected and passive B channel testing is performed such as signal-to-noise ratio and echo performance (see column 6 lines 45-56)).

5. Claims 33 and 34 are rejected under 35 U.S.C. 102(b) as being anticipated by Sahni (USPN 5,184,345), hereafter referred to as Sahni.

Referring to claims 33 and 34, Sahni discloses an apparatus for assembling service detail records for transactions carried over an ISDN link (a method for deriving billing-records of calls made over an ISDN (see abstract and column 8 lines 39-58)), comprising: means for monitoring subscriber signaling messages on an ISDN D channel in an ISDN link (the customers network address or telephone number are received over the D-Channel and used to create the billing records (see column 5 lines 40-48)); means for selecting D channel signaling messages relating to a transaction carried over said ISDN link in accordance with a predetermined criterion (customer addresses are selected out of the control information traversing the D-Channel (see column 5 lines 12-48)); and means

Art Unit: 2662

for assembling a service detail record for said transaction from said selected D channel signaling messages (billing-records for the customer and business are created and stored in a database (see column 8 lines 39-58)).

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

7. Claims 7-10 and 17 are rejected under 35 U.S.C. 102(e) as being anticipated by Klingman et al. (USPN 5,721,729), hereafter referred to as Klingman.

Referring to claim 7, Klingman discloses a method of monitoring a telecommunications system having transmission channels and an associated signaling channel (a universal call processing system that monitors ISDN networks (see abstract and column 3 lines 58-67)), comprising the steps of: monitoring at a first location signaling messages on the signaling channel to derive first monitoring data (D-Channel messages are monitored (see column 3 lines 58-65 and column 4 lines 8-15)); selecting a transmission channel identified by reference to information contained in said first monitoring data (the universal processing system determines the type of data traversing the B-Channel that is associated with the monitored D-Channel (see column 4 lines 40-48)); monitoring telecommunications traffic traversing the selected transmission channel to derive second monitoring data (the B-Channel data is analyzed to determine what type

Art Unit: 2662

of data is being transferred (see column 4 lines 40-48)); and extracting information that is traversing the selected transmission channel by reference to information contained in said second monitoring data (depending on the type of data that is determined to be traversing the B-channel, the data is accordingly processed by the system (see column 4 lines 51-57 and column 6)).

Referring to claim 8, Klingman discloses the monitoring method as discussed above. Furthermore, Klingman discloses that the transmission channel is an ISDN B channel and the signaling channel is an ISDN D channel (see columns 3 and 4)).

Referring to claim 9, Klingman discloses the monitoring method as discussed above. Furthermore, Klingman discloses that the transmission channel is carried by a telephone transmission link (the B-channels carry telephone calls (see figures 1 and 2 and column 6 lines 38-67)) and the signaling channel is carried by a common channel signaling link (the D-Channel is used by each B-Channel in the ISDN link and is thus a common signaling channel)).

Referring to claim 10, Klingman discloses the monitoring method as discussed above. Furthermore, Klingman discloses that the extracted information comprises DTMF signals (the universal processing system monitors and processes DTMF tones (see column 5 lines 24-67)).

Referring to claim 17, Klingman discloses the system discussed above. Furthermore, Klingman discloses that the monitoring is done in a passive nature (the ISDN calls are monitored and processed and thus there is no disturbance to the call (see column 6)).

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 5,22,27 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stephenson.

Referring to claim 5, Stephenson discloses an apparatus for monitoring an ISDN link (a method for ISDN channel diagnostics (see abstract and figure 2)), comprising first equipment for monitoring an ISDN link using a passive probe at a first location for monitoring subscriber signaling messages on an ISDN D channel to derive first monitoring data (test logic is used to perform various non-interruptive tests of the D channel (see column 6 lines 14-56)), second equipment at said first location for monitoring telecommunications traffic traversing ISDN B channels associated with said ISDN D channel to derive second monitoring data (various diagnostic tests of the B channels are performed (see column 6 lines 14-56)) and a correlation apparatus coupled to said first and second equipment to receive and correlate said first and second monitoring data (particular B channel corresponding to the D channel is tested (see column 6 lines 45-56)) by selecting some of the second monitoring data and performing a predetermined action in accordance with that selected second monitoring data (when errors are indicated on the D channel a corresponding B channel is selected and passive B channel testing is performed such as signal-to-noise ratio and echo performance (see

Art Unit: 2662

column 6 lines 45-56)). Stephenson does not disclose that there is a second, separate, piece of equipment at the same location for monitoring the B channels. Instead, Stephenson discloses that the D and B channels are monitored by the same piece of equipment, as discussed above. However, it would have been obvious to one skilled in the art at the time of the invention to separate the monitoring device taught by Stephenson into separate pieces because if there are more than one pieces of monitoring equipment then the D and B channels transmitted and received at the second site can also be monitored without the use of a loop-back feature, thereby making Stephenson more versatile. Another motivation to having a second piece of equipment at the second site is for back up purposes; if the monitoring equipment at the first site in Stephenson fails there is a second monitoring equipment that can be used, thereby making Stephenson more reliable.

Referring to claims 22 and 27, Stephenson discloses the system discussed above. Stephenson does not disclose that the channel conditions are provided in a real-time update. However, it would have been obvious to one skilled in the art at the time of the invention to have the channel conditions updated in real-time to the network diagnostics controller because doing so will allow the system to react accordingly to the conditions faster than any other method, thereby making the system of Stephenson more reliable, faster and more efficient.

Referring to claim 31, Stephenson discloses the system discussed above. Stephenson does not disclose that the first monitoring data is derived from a plurality of D channels. However, it would have been obvious to one skilled in the art at the time of the invention to have and derive the first monitoring data from plural D-channels because

Art Unit: 2662

doing so would allow more B-channel to be handled, thus increasing the bandwidth of Stephenson and monitoring the extra D-channels for error would make the system of Stephenson more reliable.

10. Claims 12,13,19,23,24,28 and 29 rejected under 35 U.S.C. 103(a) as being unpatentable over Stephenson in view of Klingman.

Referring to claims 12,13,19,23,24,28 and 29 Stephenson discloses the method of monitoring an ISDN link as discussed above. Stephenson does not disclose that the correlation is performed to provide service records or that the service records include data derived from an ISDN B channel. However, Klingman discloses a call processing system that determines the type of user data appearing on B-channel(s) by analyzing the actual data of the B-Channel(s) (see column 4 lines 39-48). The system of Stephenson discloses that when an error threshold is reached on the D-channel, this indicates that it is likely that the B-channels also have errors and such B-channels may be torn down (see column 7 lines 20-25). However, different data types have different resistances to errors. Namely, voice calls require a high quality of service level and thus a low error rate whereas fax transmissions may be more resilient to the same error rate since the quality-of-service level is lower. Therefore, the thresholds of Stephenson may not work efficiently for all data types since fax transmissions may be unnecessarily treated the same as voice transmissions, thereby tearing down fax transmission circuits when the errors on these circuits are not completely detrimental to the transmission of such faxes and thereby wasting time and resources. It would have been obvious to one skilled in the art at the time of the invention to use the method of determining the type of data in the B-

Art Unit: 2662

Channels (thus derive a service record from the B-channel) as taught by Klingman, in the system of Stephenson, because doing so would allow Klingman to know the type of data passing through the B-channels and thus adjust its error thresholds accordingly, thereby making Stephenson more robust, reliable and efficient.

11. Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stephenson in view of Emerson et al. (USPN 5,784,5598), hereafter referred to as Emerson.

Referring to claims 2 and 3, Stephenson discloses the system discussed above. Stephenson does not disclose that the method includes monitoring an additional signaling messages and B channels on a other links to derive third monitoring data and correlating the third monitoring data with the first and second. However, Stephenson does point out that the B channels and D channel are only assured of using the same media on the access circuit and therefore the Stephenson invention is only likely to provide an accurate indication of performance of these channels in the access circuit and thus not in other parts of the network, thus there is a need to test other portions of the network of Stephenson for errors since D and B channel errors may occur in these other portions. Emerson discloses a system wherein D and B channels (that travel through a DDS network) can be tested at not only at the access circuits but also at other parts within the network, specifically on the network side of the system (see figure 4). It would have been obvious to one skilled in the art at the time of the invention to monitor signaling messages, which correspond to the D and B channels, at other parts of the network because doing so will make the system of Stephenson more versatile and reliable.

12. Claims 4,6,18,20,26 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent number 5,533,007 to Orita et al., hereafter referred to as Orita in view of U.S. Patent number 4,730,313 to Stephenson.

Referring to claims 4 and 6, Orita discloses of an apparatus for monitoring an ISDN link (an ISDN monitoring system (see abstract)), comprising first equipment for monitoring subscriber signaling messages on an ISDN D channel to derive first monitoring data (a monitoring device at a location monitors data received from the D channel of the ISDN link (see item 28 of figure 1 and column 4 lines 16-31)), equipment for monitoring additional signaling messages on a signaling link in a telecommunications network coupled to said ISDN link to derive second monitoring data (the signaling from not only the subscriber is monitored but also signaling related to the networks in which the subscribers information traverses such as the line connection network, LC-NW, and the call processing network, CPR-NW (see items 16, 24 and 28 of figure 1 and column 4 lines 51-62)), and correlation apparatus coupled to the equipment to receive and correlate said first and second monitoring data (the device is used to monitor the signaling channel of a particular subscriber, whose information traverses through multiple networks, hence there is a correlation between the subscribers D channel and the associated signaling of the other networks (see column 6 lines 1-6 and lines 40-42)). Orita does not disclose that the monitoring takes place using a passive probe. However, Stephenson discloses a system wherein ISDN D channels are monitored in a passive non-interruptive manner (see column 6 lines 14-56 and column 4 lines 56-68). It would have been obvious to one skilled in the art at the time of the invention to monitor the D channels of Orita in a

Art Unit: 2662

passive manner, as taught in Stephenson, because doing so will prevent having to tear down or intrude on an active signal that is being used by subscribers. As such, users will not lose their connections and the service providers will prevent circuit downtime and thus prevent monetary loss. Also regarding claim 6, Orita does not disclose that there is a second, separate, piece of equipment at the same location for monitoring the B channels. Instead, Orita discloses that the D and B channels are monitored by the same piece of equipment, as discussed above. However, it would have been obvious to one skilled in the art at the time of the invention to separate the monitoring device, as taught by Orita, into separate pieces because if there are more than one pieces of monitoring equipment then the D and B channels transmitted and received at the second site can also be monitored without the use of a loop-back feature, thereby making Orita more versatile. Another reason to having a second piece of equipment at the second site is for back up purposes; if the monitoring equipment at the first site in Orita fails there is a second monitoring equipment that can be used, thereby making Orita more, reliable.

Referring to claims 18 and 20, Orita discloses the method of monitoring an ISDN link as discussed above, in the rejections of claims 4 and 6, respectively. Orita does not disclose that the correlation is performed to provide service records. However, it would have been obvious to one skilled in the art at the time of the invention to perform the process of correlation to provide service records, in the system of Orita, because such a process would help to efficiently maintain and monitor the system, thereby increasing its overall reliability.

Referring to claims 26 and 30, Orita discloses the discussed above. Orita does not disclose that signaling messages are SS7 messages. However, it would have been obvious

Art Unit: 2662

to one skilled in the art at the time of the invention to use SS7 messages in the system of Orita because doing so would reduce developmental costs since SS& messages are part of a well-established signaling protocol and therefore a new type of signaling message does not have to be developed.

13. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Klingman.

Referring to claim 32, Klingman discloses the system discussed above. Klingman does not disclose that the transmission and signaling channels are carried in an ATM system. However, it would have been obvious to one skilled in the art at the time of the invention to use an ATM system in the system of Klingman because the ATM protocol can provide much higher bandwidth for data transmission and more extensive quality-of-service functionality (see ATM standard)).

14. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Klingman in view of Sahni.

Referring to claim 21, Klingman discloses the method of monitoring as discussed above. Klingman does not disclose correlating to provide service records. However, Sahni discloses keeping service records of users of an ISDN network for billing-purposes. It would have been obvious to one skilled in the art at the time of the invention to perform correlation for service records, as taught in Sahni, in the system of Klingman because such records will provide billing methods for the service providers of Klingman, thereby making abilities of Klingman more robust.

Art Unit: 2662

Response to Arguments

15. Applicant's arguments with respect to claims 1-10,12,13 and 17-34 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion


16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Odland, who can be reached at (703) 305-3231 on Monday – Friday during the hours of 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou, can be reached at (703) 305-4744. The fax number for the organization where this application or proceeding is assigned is (703) 872-9314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist, who can be reached at (703) 305-4750.

deo

July 28, 2003


JOHN PEZZLO
PRIMARY EXAMINER